

FIG. 1

FIG. 2




FIG. 3

User information DB 110

111	112
User ID	Domain key
XXXAAA	XXXCCC
XXXBBB	XXXDDD
⋮	⋮

FIG. 4

Encryption content 210




FIG. 5




FIG. 6

License 410

411	License ID	
412	Content ID	
413	Content provider ID	
414	4140	Content use control information
	4142	Signer identification information
	4145	Metadata use control information
	4146	Reference specification information
	4147	Revision permission information
	4148	Control permission information
	4149	Moving range specifying information
415	Content encryption key	

Information about use expiration date

Information about possible use frequency

(a) Impossible except for content provider
(b) Possible for content provider and metadata provider authorized by content provider
(c) Possible for all (Metadata signer ID)

(a) Metadata reference specifying flag
(b) ID of metadata desirable to force reference

Flag indicating "metadata revisable" or "metadata non-revisable", ID of revisable metadata or non-revisable metadata
Metadata signer of metadata digital signature that is revisable or non-revisable ID312

Flag indicating control permission according to metadata generated by user (Metadata ID)
(Metadata signer ID)

(a) Move unlimited
(b) Limited to terminal apparatus owned by user who generated metadata

FIG. 7




FIG. 8




FIG. 9




FIG. 10

